Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 11, June 16, 2011

For the Period June 7 to 13, 2011

Eighty-two cent of the 2011 crop has been seeded according to Saskatchewan Agriculture's Weekly Crop Report. The five year (2006-2010) average for this time of year is approximately 92 per cent seeded. Last year at this time, 73 per cent of the 2010 crop had been seeded.

Seeding Progress in SK Per cent seeded	
All Crops	
June 13/11	82
5 year avg. (2006-2010)	92
June 15/10	73
June 8/09	99
June 8/08	99
June 10/07	96
June 11/06	94

Rain and thunder showers were recorded for most of the province during the past week. Producers in the west central and northern regions are near seeding completion. Producers in the southern regions made some progress. However, the weather and field conditions continue to be very challenging.

The southeast is reporting 44 per cent seeded, the southwest 82 per cent, the east-central 86 per cent, the west central 99 per cent, the northeast 98 per cent and the northwest is reporting 99 per cent of the crop seeded.

Across the province, topsoil moisture on cropland is rated as 29 per cent surplus, 57 per cent adequate, 12 per cent short and two per cent very short. Hay and pasture topsoil moisture is rated as 28 per cent surplus, 54 per cent adequate, 14 per cent short and four per cent very short.

Sixty-five per cent of the oilseeds, 66 per cent of the pulse crops and sixty-seven per cent of the spring cereals are behind normal in development. Forty-five per cent of the fall cereals are at normal stages of development.

Sixty-six per cent of the winter wheat, 79 per cent of the spring wheat, 81 per cent of the durum, 74 per cent of the canola, 82 per cent of the lentils, and 77 per cent of the field peas are in good to fair condition. The majority of crop damage is due to flooding and frost. Cutworms and wireworms are also causing damage in some areas.

Farmers are busy seeding, hauling cattle to pasture, and controlling weeds.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Saskatchewan Crop Insurance Corporation Report

Crop Insurance customers should note the following important dates:
The deadline to submit establishment benefit claims and gopher damage claims (excluding greenfeed) is June 20.
Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25.
If Crop Insurance customers are still unable to seed by the new deadlines, due to excess moisture, they can access their Unseeded Acreage feature as of June 20. In areas with extreme moisture where land will not be in a condition to seed, producers can register Unseeded Acreage claims as of June 15.
The deadline to seed greenfeed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on greenfeed to be submitted by this date

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

All areas reported rain for the week, ranging from 2 mm to 59 mm. Seeding continues to be a challenge. Some farmers were able to get some seeding done in between rain events. Forty-four per cent of the 2011 crop is in the ground. However, depending on the area, seeding progress ranges from five to 90 per cent complete. Some acres that were seeded are now flooded. Crop reporters are predicting there will be significant acres not seeded this year.

SE region Crop District	% seeded (June 13, 2011)
1A	33
1B	17
2A	43
2B	66
3ASE	57
region average	**44**

The Kisbey area reported 34 mm of rain for the week, the Carnduff area 26 mm, the Windthorst area 52 mm, the Whitewood area 28 mm, the Weyburn area 44 mm, the Pangman area 2 mm, the Wilcox area 29 mm, the Moose Jaw area 4 mm, the Ceylon area 59 mm and the Radville area 44 mm. Some areas have recorded over 270 mm of rain since April 1.

The rain has halted field work once again. The majority of the producers in the region continue to struggle with wet and flooded conditions. Access to fields is a major issue as roads are washed out, flooded or very soft. Crop reporters have indicated some farmers are trying alternative seeding methods such as broadcast and harrow. Some have decided to quit seeding. Crop reporters are predicting there will be a shift to oats, barley and greenfeed. Producers are busy controlling weeds. Farm yards, corrals, pasture and hay land are flooded, partially flooded and very soft. Some cattle producers are having a difficult time processing and vaccinating cattle in the wet weather. Pastures have improved in some areas and are in good condition.

Topsoil moisture conditions on crop land are 76 per cent surplus and 24 per cent adequate. Hay and pasture land is rated as 67 per cent surplus and 33 per cent adequate.
Ninety- four per cent of the spring cereals, 74 per cent of the fall cereals, 92 per cent of the oilseeds and 86 per cent of the pulse crops are behind normal in development. Crop reporters have indicated it is difficult to assess crop conditions as crops are just emerging in some areas.

Flooding is the cause of most crop damage. Crops that have emerged are showing signs of excess moisture stress.

Farmers are busy seeding, hauling grain, and getting ready for haying. Producers are hoping for clear skies and good drying weather.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The south west made some seeding progress in between rain this week and gained an additional five per cent. Producers in the region now have 82 per cent of the 2011 crop seeded. Seeding progress varies across the region from 36 per cent seeded to 100 per cent complete. Most areas recorded rain for the week ranging from nil to 98 mm. Moisture conditions vary from field to field and have caused large sloughs and saturated field conditions. There are reports of producers changing seeding plans. Some producers have decided to quit seeding for the year. Crop reporters are indicating a significant number of acres will go unseeded this year.

SW region Crop District	% Seeded (June 13, 2011)
3ASW	67
3AN	75
3BS	71
3BN	98
4A	67
4B	98
region average	**82**

The Rockglen area recorded 98 mm, the Fife Lake area 62 mm, the Spring Valley area 36 mm, the Chaplin area 12 mm, the Cadillac area 69 mm, the Shaunavon area 18 mm, the Tyner and Eastend areas 15 mm, the Richmound and Fox Valley areas 5 mm. Many areas have recorded over 210 mm of rain since April 1st. Conditions in crop districts 3BN and 4B are a little drier and seeding is near complete and producers are busy with weed control.

Crop conditions vary greatly in the region, depending on where the rain has been recorded and when crops were seeded. Some crops are just emerging, others are growing well. Producers are hoping for warm weather to get some field work done.

Access to fields is difficult due to impassable roads in some areas. Livestock producers are having trouble getting cattle processed and vaccinated due to wet conditions.

Cropland topsoil moisture is rated as 37 per cent surplus, 61 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 30 per cent surplus, 66 per cent adequate and four per cent short. Crop damage is mostly due to flooding. Flea beetles and pea leaf weevil damage is also showing up in areas.

Seventy-seven per cent of the fall cereals are at normal stages of development. Seventy-eight per cent of the spring cereals, 81 per cent of the oilseeds and 78 per cent of the pulse crops are behind normal in development.

Farmers are busy seeding and controlling weeds. Producers are hoping for clear skies and good drying weather.

East-Central Saskatchewan (Crop Districts 5 and 6a)

The east-central region gained another three per cent over last week in seeding progress, bringing the region to 86 per cent complete. Seeding progress in the region ranges from 15 per cent to 100 per cent complete. CD 6A is furthest ahead with seeding progress and almost complete. Rain in varying amounts was recorded across the region ranging from nil to 33 mm. In CD 5A, fields are still very wet and unable to support seeding equipment in some areas.

EC region Crop District	% Seeded (June 13, 2011)
5A	66
5B	90
6A	96
region average	**86**

The Stockholm area received 29 mm, the Jedburgh area 9 mm, the Kamsack area 24 mm, the Lintlaw and Quill Lake areas 10 mm, the Bethune area 33 mm, the Imperial area 15 mm and the Humboldt area 19 mm. The Kenaston area recorded no rain for the week.

Some producers are looking at alternative seeding methods such as broadcast and harrow, and airplanes. Crop reporters are indicating flooding in areas with damaged roads and culverts. Field access is an issue in some areas on the eastern and southern side of the region due to washed out or flooded roads. A significant number of acres are expected to go unseeded this year, especially in the CD 5A. There are some areas that have missed the heavy rains and crops are reported to have good potential. Some areas in the northern part of the region could use a rain. Weed growth in quite prolific in some areas.

The majority of crop damage is due to flooding. Flea beetle and cutworm damage is starting to show up. Cropland topsoil moisture is rated as 23 per cent surplus, 72 per cent adequate and five per cent short. Hay land and pasture topsoil moisture is rated as 19 per cent surplus, 76 per cent adequate, two per cent short and three per cent very short.

Fifty-one per cent of the fall cereals are at normal stages of development. Sixty-two per cent of the spring cereals, 66 per cent of the oilseeds and 50 per cent of the pulse crops are behind normal in development.

Farmers are busy seeding, controlling weeds, and hauling grain.

West-Central Saskatchewan (Crop Districts 6B and 7)

Rain showers rolled through most of the region during the past week. The region is reporting 99 per cent of the 2011 crop has been seeded. The rain was welcome for the most part as topsoil moisture was drying out. There are areas that still could use rain to help the pastures, hayland and crops get a good start.

The Conquest area reported 15 mm, the Perdue area 1 mm, the Marengo and Biggar areas 6 mm, the Cando area 16 mm and the Sonningdale area 14 mm. Total rainfall recorded since April 1st, ranges from 15 to 68 mm.

Some producers are going back to seed wet areas in fields that have dried up. Many producers need rain.

Topsoil moisture conditions are rated as five per cent surplus, 66 per cent adequate, 26 per cent short and three per cent very short. Hay land and pasture topsoil moisture conditions are rated as four per cent surplus, 61 per cent adequate, 27 per cent short and eight per cent very short.

Crop damage is mostly due to insects and dry conditions. Flea beetles, wireworm and cutworm damage is starting to show up. Heat and moisture is needed to get the crops, hayland and pastures off to a good start.

Fifty-seven per cent of the fall cereals, 56 per cent of the spring cereals, 53 per cent of the oilseeds and pulse crops are behind normal in development.

Farmers are controlling weeds, rolling pulses, hauling grain and getting ready for haying.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Some areas recorded rain for the week ranging from nil to 47 mm. Producers in the region have 98 per cent of the 2011 crop in the ground. Field access is limited in some areas as roads are very soft. Crops are emerging and are in good condition. Other areas are in need of rain. Some canola has yet to germinate and pasture growth is poor in some areas.

The Tisdale and Porcupine Plain areas received 11 mm, the Codette area 5 mm, the Melfort area 47 mm, the Birch Hills area 20 mm, the Garrick area 19 mm and the Prince Albert area 5 mm. There are areas that need moisture to get the crop off to a good start.

Topsoil moisture on cropland and is rated as seven per cent surplus, 76 per cent adequate, 16 per cent short and one per cent very short. Topsoil moisture on hay and pasture land is reported as one per cent surplus, 79 per cent adequate and 20 per cent short. The majority of crop damage is due to dry conditions.

Eighty-eight per cent of the fall cereals, 62 per cent of the spring cereals, 58 per cent of the oilseeds and 70 per cent of the pulse crops are at normal stages of development.

Most cattle producers have transported the herd out to pastures. Farmers are controlling weeds and taking cattle to pasture.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Many areas recorded rain for the week with the northwest part of the region receiving more than other areas. The region now has 98 per cent of the 2011 crop seeded. The areas around Meadow Lake have received more rain and have had some seeding delays. Field access is challenging as roads are soft and impassable in some areas. Crops are emerging and are in good condition.

Precipitation ranged from nil to 23 mm. The Rabbit Lake area recorded 6 mm, the Spiritwood area 4 mm, the North Battleford area 13 mm, the Meota area 23 mm, the Barthel area 10 mm, and the Meadow Lake area 5 mm. The rain is welcome for the emerging crops, pasture and hay land. Many areas could use a good rain to help along the crops, pastures and hay land. Crop reporters are indicating some areas are very dry.

Cropland top soil moisture is reported as two per cent surplus, 55 per cent adequate, 35 per cent short and eight per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 29 per cent adequate, 53 per cent short and 17 per cent very short.

Crop damage was due dry conditions and insects. Cutworms, flea beetles and wireworm are causing some crop damage, particularly in crop district 9B. A good rain would go a long way to help emerging crops and help with the recovery of pasture and hay land.

Farmers are busy controlling weeds and hauling cattle to pasture.

South east SK Crop conditions- June 13, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	13	18	2	1	1	0	1
% good	48	38	28	24	28	26	21
% fair	12	10	42	52	39	39	42
% poor	6	7	13	18	7	14	17
% very poor	21	27	15	5	25	21	19
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	2	0	1	1	0	N/A	
% good	31	0	34	43	30	N/A	
% fair	33	55	39	41	54	N/A	
% poor	21	14	14	13	12	N/A	
% very poor	13	30	12	2	4	N/A	

South west SK Crop conditions- June 13, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	38	43	13	13	10	8	13
% good	35	47	54	61	66	64	49
% fair	22	10	27	21	17	26	24
% poor	5	0	6	5	7	2	14
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	9	15	16	13	19	N/A	
% good	61	56	55	59	49	N/A	
% fair	28	23	25	24	23	N/A	
% poor	2	6	4	3	9	N/A	
% very poor	0	0	0	0	0	N/A	

East central SK Crop conditions- June 13, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	27	22	11	19	13	18	10
% good	47	34	63	63	59	56	70
% fair	19	37	20	18	23	19	13
% poor	7	7	6	0	5	7	7
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	11	25	21	30	22	N/A	
% good	57	58	46	46	45	N/A	
% fair	24	17	19	24	33	N/A	
% poor	8	0	14	0	0	N/A	
% very poor	0	0	0	0	0	N/A	

West central SK Crop conditions- June 13, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	0	0	11	14	12	12	0
% good	100	78	67	74	67	69	77
% fair	0	11	20	11	21	18	23
% poor	0	5	1	1	0	0	0
% very poor	0	6	1	0	0	1	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	11	0	13	16	0	N/A	
% good	58	61	66	67	74	N/A	
% fair	26	38	19	17	26	N/A	
% poor	4	2	1	0	0	N/A	
% very poor	1	0	1	0	0	N/A	

North east SK Crop conditions- June 13, 2011						
	Winter wht	Fall rye	Spring wht	Oat	Barley	Flax
% excellent	19	7	24	14	17	4
% good	53	89	48	59	62	58
% fair	24	4	22	19	20	35
% poor	4	0	6	8	1	3
% very poor	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	
% excellent	23	N/A	17	6	2	
% good	49	N/A	62	89	68	
% fair	19	N/A	21	5	28	
% poor	8	N/A	0	0	2	
% very poor	1	N/A	0	0	0	

North west SK Crop conditions- June 13, 2011					
	Winter wht	Fall rye	Spring wht	Oat	Barley
% excellent	0	0	7	14	13
% good	63	50	35	45	40
% fair	37	50	44	39	45
% poor	0	0	14	2	2
% very poor	0	0	0	0	0
	Flax	Canola	Pea	Lentil	
% excellent	0	7	12	0	
% good	15	30	47	50	
% fair	82	38	26	50	
% poor	3	17	12	0	
% very poor	0	8	3	0	

SK (provincial)Crop conditions- June 13, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	23	31	11	11	11	12	5
% good	50	49	51	56	53	54	39
% fair	17	15	28	25	27	27	33
% poor	5	1	7	7	5	4	13
% very poor	5	4	3	1	4	3	10
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	10	10	14	13	6	N/A	
% good	47	49	52	57	53	N/A	
% fair	28	30	25	26	35	N/A	
% poor	11	6	7	4	5	N/A	
% very poor	4	4	2	0	1	N/A	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 13, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 15, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 7 to 13, 2011

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
1A	1	Argyle	25	155
	2	Mount Pleasant	26	206
	3	Enniskillen	31	210
	33	Moose Creek	N/A	171
	34	Browning	31	237
	61	Antler	N/A	139
	63	Moose Mountain	32	216
	64	Brock	34	202
	65	Tecumseh	29	243
1B	91	Maryfield	50	244
	92	Walpole	N/A	211
	95	Golden West	52	246
	122	Martin	27	310
	123	Silverwood	33	238
	124 A	Kingsley	34	219
	124 B	Kingsley	N/A	N/A
	125	Chester	N/A	185
	151 A	Rocanville	42	335
	151 B	Rocanville	30	270
	153	Willowdale	28	235
	154	Elcapo	45	218
	155	Wolseley	32	206
2A	66	Griffin	N/A	106
	67	Weyburn	34	256
	68	Brokenshell	44	263
	69	Norton	2	225
	97	Wellington	31	200
2B	127 A	Francis	29.5	166
	127 B	Francis	25	125
	129	Bratt's Lake	34.5	164
	156	Indian Head	20	141
	160 A	Pense	10	81
	160 B	Pense	6	90
	161	Moose Jaw	4	93
	191	Marquis	2	53
3ASE	7	Souris Valley	N/A	N/A
	38 A	Laurier	44	227
	38 B	Laurier	46	248
	39 A	The Gap	59	214
	39 B	The Gap	N/A	214
3ASW	10	Happy Valley	34	325
	11	Hart Butte	N/A	N/A
	12	Poplar Valley	62	203
	40	Bengough	52	305
	42	Willow Bunch	61	223
	43	Old Post	98	242
	44 A	Waverley	46	171
	44 B	Waverley	N/A	N/A
	70	Key West	N/A	149
	71	Excel	N/A	153
	73 A	Stonehenge	54.6	174
	73 B	Stonehenge	47	214
	74	Wood River	34.3	200
3AN	101	Terrell	36	173
	102	Lake Johnston	27.5	155
	103	Sutton	26	173
	134	Shamrock	26	142
	164	Chaplin	12	136
	193 A	Eyebrow	NIL	71
	193 B	Eyebrow	N/A	73
	194	Enfield	NIL	54
3BS	17	Val Marie	69	239
	18	Lone Tree	N/A	150
	45	Mankota	39	214
	75 A	Pinto Creek	36	177
	75 B	Pinto Creek	25	135
	76 A	Auvergne	20	131
	76 B	Auvergne	N/A	110
	77	Wise Creek	18	150
	78 A	Grassy Creek	N/A	149
	78 B	Grassy Creek	43	198
	78 C	Grassy Creek	18	145
	105	Glenbain	N/A	129
	106	Whiska Creek	28	164
	107	Lac Pelletier	N/A	113
	108	Bone Creek	N/A	186
3BN	138	Webb	2	98
	166	Excelsior	N/A	91
	167	Sask. Landing	11.8	101
	168	Riverside	NIL	95
	226	Victory	N/A	68
	228	Lacadena	15	59
	255	Coteau	N/A	N/A
	257	Monet	NIL	54

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
4A	49	White Valley	15	134
	49 A	White Valley	16	139
	51	Reno	12.8	221
	79	Arlington	2	128
	109	Carmichael	13	178
	110	Piapot	NIL	92
	111	Maple Creek	N/A	98
4B	139	Gull Lake	6	104
	141	Big Stick	1	93
	142	Enterprise	5	95
	169	Pittville	N/A	57
	171	Fox Valley	5	57
	229	Miry Creek	N/A	N/A
	231	Happyland	5	56
5A	183	Fertile Belt	29	256
	186	Abernethy	7	91
	211	Churchbridge	26	187
	213	Saltcoats	17	144
	216	Tullymet	8	56
	217	Lipton	3	49
	241	Calder	33	134
	243	Wallace	20	97
	245 A	Garry	9	68
	245 B	Garry	4	72
	246	Iluna Bon Accord	8	44
	247	Kellross	5	54
	248	Touchwood	1	32
5B	271	Cote	24	104
	276	Foam Lake	N/A	42
	277	Emerald	4	63
	305	Invermay	7.6	63
	307	Elfros	8	74
	308	Big Quill	1	23
	333 A	Clayton	N/A	NIL
	333 B	Clayton	N/A	25
	334	Preeceville	N/A	21
	335	Hazel Dell	10	58
	336	Sasman	6	54
	337	Lakeview	5	52
	338	Lakeside	10	39
	366	Kelvington	N/A	38
6A	189	Lumsden	11.2	109
	190 A	Dufferin	9	69
	190 B	Dufferin	33	90
	190 C	Dufferin	6	52
	190 D	Dufferin	14	70
	219	Longlaketon	1	32
	220	Mckillop	10	65
	221	Sarnia	7	79
	222	Craik	N/A	69
	251	Big Arm	15	81
	252	Arm River	12	61
	279	Mount Hope	N/A	40
	280	Wreford	N/A	46
	282	McCraney	NIL	40
	309	Prairie Rose	1	29
	313	Lost River	N/A	49
	339	Leroy	1	22
	340	Wolverine	19	33
	341	Viscount	N/A	33
	343	Blucher	2	44
6B	283	Rosedale	NIL	13
	284	Rudy	NIL	28
	285	Fertile Valley	15	59
	286	Milden	7	68
	314	Dundurn	NIL	32
	344	Corman Park	NIL	48
	346	Perdue	1	53
	376 A	Eagle Creek	NIL	50
	376 B	Eagle Creek	N/A	59
	403	Rosthern	NIL	45
7A	260 A	Newcombe	NIL	49
	260 B	Newcombe	N/A	49
	261	Chesterfield	N/A	27
	287	St. Andrews	N/A	27
	288	Pleasant Valley	N/A	23
	290 A	Kindersley	NIL	22
	290 B	Kindersley	NIL	30
	292	Milton	6	52
	317 A	Marriott	N/A	50
	317 B	Marriott	4.5	39
	318 A	Mountain View	N/A	N/A
	318 B	Mountain View	6	39
	320 A	Oakdale	2	44
	320 B	Oakdale	4	39
	321	Prairiedale	2	44

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
7B	347 A	Biggar	3	60
	347 B	Biggar	7	26
	350 A	Mariposa	NIL	20
	350 B	Mariposa	NIL	45
	351	Progress	NIL	36
	352	Heart's Hill	2	68
	377	Glenside	14.5	61
	378 A	Rosemount	4	59
	378 B	Rosemount	16	59
	379	Reford	6	42
	380	Tramping Lake	NIL	15
	381	Grass Lake	N/A	9
	409 A	Buffalo	3	27
	409 B	Buffalo	1	37
	410	Round Valley	NIL	3
	411	Senlac	NIL	20
8A	395	Porcupine	11	39
	397	Barrier Valley	11.4	68
	428	Star City	N/A	20
	456	Arborfield	NIL	37
	457	Connaught	NIL	34
	458	Willow Creek	5	33
	486	Moose Range	NIL	50
	487	Nipawin	2	34
8B	369	St. Peter	NIL	30
	370	Humboldt	2	23
	371 A	Bayne	NIL	36
	371 B	Bayne	N/A	N/A
	372	Grant	NIL	66
	402	Fish Creek	NIL	82
	429	Flett's Springs	47	92
	430	Invergordon	N/A	N/A
	431	St. Louis	N/A	N/A
	459	Kinistino	15	64
	460	Birch Hills	20	67
9AE	461	Prince Albert	0.5	64
	488 A	Torch River	19	28
	488 B	Torch River	N/A	NIL
	491	Buckland	5.1	72
9AW	406	Mayfield	2	43
	435	Redberry	N/A	34
	436	Douglas	NIL	26
	463	Duck Lake	NIL	60
	464	Leask	N/A	46
	467 A	Round Hill	2	23
	467 B	Round Hill	6	31
	494	Canwood	NIL	46
	496	Spiritwood	4	53
	497	Medstead	N/A	26
9B	438	Battle River	13	35
	440	Hillsdale	NIL	18
	442	Manitou Lake	NIL	20
	468 A	Meota	20	32
	468 B	Meota	N/A	8
	468 C	Meota	22.9	44
	498 A	Parkdale	18	34
	498 B	Parkdale	N/A	7
	499	Mervin	1	25
	501 A	Frenchman Butte	4	71
	501 B	Frenchman Butte	2	28
	501 C	Frenchman Butte	NIL	47
	561	Loon Lake	10	37
	588 A	Meadow Lake	8	24
	588 B	Meadow Lake	2	43
	588 C	Meadow Lake	5	23
	588 D	Meadow Lake	N/A	35
	822	Beaver River	1	23

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: June 13, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 15, 2011

Cropland Topsoil Moisture Conditions

June 14, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 15, 2011

Hay and Pasture Topsoil Moisture Conditions

June 14, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 15, 2011